




# AMITOL & HERATOL

**SURFACE RETARDER**



## **AT A GLANCE:** **SURFACE RETARDER**

### **HERATOL K**

HERATOL K is a ready-to-use, water-based surface retarder. HERATOL K has been specifically developed for use during the manufacture of brick-faced precast elements. Its primary purpose is to protect the surface of the bricks from concrete laitance during manufacture.



### **CHARACTERISTICS**

- water-based product
- fast drying time
- strong protective effect
- can be washed off without residue with water



### **AREAS OF APPLICATION**

- brick-faced panels
- in situ concrete
- precast elements



### **INTERESTED?**

Our application videos offer you an in-depth insight.



## **AT A GLANCE:** **SURFACE RETARDER**

### **AMITOL S3**

Amitol S3 is a solvent-based surface retarder which can be used for the production of washed concrete using the negative application process. Due to its large number of different exposure depths Amitol S3 allows unlimited and timeless design options from finely up to deeply exposed concrete surfaces.



#### **CHARACTERISTICS**

- solvent-based
- short drying time
- abrasion resistant and economical to use
- can be used on horizontal and vertical formwork surfaces
- 10 varieties of exposure depths
- easy to distinguish by individual colour coding



#### **AREAS OF APPLICATION**

- architectural façade elements
- concrete elements for gardening and landscaping
- artificial stone
- in situ concrete
- roughing of separating joints

### **HERATOL PV6**

Heratol PV6 is a water-based, concrete retarder used to produce fine to coarse exposed-aggregate concretes. It is designed for application by the positive method, particularly for sites which require a decorative finish.



#### **CHARACTERISTICS**

- water-based product
- formulation with integrated curing compound
- easily sprayable
- 10 varieties of exposure depths
- easy to distinguish by individual colour coding



#### **AREAS OF APPLICATION**

- architectural in situ concrete projects
- precast elements
- concrete products
- concrete roads
- roughing of separating joints



## TECHNICAL DATA

### AMITOL S3

TYPE	COLOR	AGGREGATE SIZE	WASHING DEPTH
S3 / MIKRO	Turquoise	0-3 mm	ca. 0,2 mm
S3 / 01	Blue	0-4 / 8 mm	ca. 0,5 mm
S3 / 02	Brown	2-4 / 8 mm	ca. 1,0 mm
S3 / 10	Green	4-8 / 10 mm	ca. 1,5 mm
S3 / 25	Yellow	4-8 / 10 mm	ca. 2,0 mm
S3 / 50	Red	6-9 / 12 mm	ca. 2,5 mm
S3 / 80	Grey	8-11 mm	ca. 3,0 mm
S3 / 130	White	12-16 mm	ca. 4,0 mm
S3 / 200	Orange	16-22 mm	ca. 5,0 mm
S3 / 300	Violet	16-22 mm	ca. 6,0 mm

### HERATOL PV6

TYPE	COLOR	AGGREGATE SIZE	WASHING DEPTH
PV6 / MIKRO	Red-Orange	0-3 mm	ca. 0,2 mm
PV6 / 01	Blue	0-4 / 8 mm	ca. 0,5 mm
PV6 / 02	Brown	2-4 / 8 mm	ca. 1,0 mm
PV6 / 10	Green	4-8 / 10 mm	ca. 2,0 mm
PV6 / 25	Yellow	6-8 / 10 mm	ca. 2,5 mm
PV6 / 80	Pink	8-16 mm	ca. 3,5 mm
PV6 / 100	Grey	12-16 mm	ca. 5,0 mm
PV6 / 130	White	12-16 mm	ca. 5,5 mm
PV6 / 200	Orange	18-25 mm	ca. 6,5 mm
PV6 / 300	Violet	18-25 mm	ca. 7,0 mm

Please also observe the technical data sheet for all products listed!

### SUPPLEMENTARY PRODUCT SERIES SURFACE PROTECTION SYSTEMS

from our SICOROL series.

These provide the concrete surface with protection against weathering, freeze-thaw, surface staining and chemical attack (e.g. Graffiti).

### PIGMENTS AND LIQUID COLORS

from our REBAcolor and REBOxid series.

This range can transform your products and add the dimension of color to your concrete.

### ANY QUESTIONS?

Do you have a special product request or interest in one of our products?

Contact us!

**T** +49 (0) 8331 92506-25  
**M** [info@fabrino.eu](mailto:info@fabrino.eu)


HIGH SCHOOL MEMMINGEN  
USE OF AMITOL S3



PAVEMENT CHURCH UBDINA, CROATIA  
USE OF HERATOL PV6



COURTYARD PRIVATE HOUSE, ITALY  
USE OF HERATOL PV6



## CONTACT

**FABRINO Produktionsgesellschaft mbH & Co. KG**  
Augsburger Straße 23 | D-87700 Memmingen

**T** +49 (0) 8331 92506-25

**F** +49 (0) 8331 92506-36

info@fabrino.eu | **www.fabrino.eu**

## AT A GLANCE: FABRINO

FABRINO is a leading, specialist provider within the global construction industry, made up of two distinct business divisions; Architectural Concrete and High-Performance Fibers.

Our customers include precast and ready mix concrete manufacturers, construction companies, industrial floor providers as well as building material distributors. As well as providing for our direct customers the active support of our industry partners, including architects and contractors, is something we pride ourselves in.

## OUR PRODUCTS

**Architectural Concrete Division:** Innovative products for the refinement, colouring and protection of architectural concrete and cast stone.

**High-Performance Fibers Division:** High-quality products for the reinforcement and enhancement of industrial floors, concrete slabs, exterior concrete surfaces, shotcrete, precast elements and railway lines.

**FABRINO Produktionsgesellschaft mbH & Co. KG**  
Augsburger Straße 23 | D-87700 Memmingen

T +49 (0) 8331 92506-25 | F +49 (0) 8331 92506-36  
info@fabrino.eu | **www.fabrino.eu**

**FABRINO**